

**Certification
Issued Under the Authority of the
Federal Communications Commission**

By:

**MiCOM Labs
575 Boulder Court
Pleasanton, CA 94566**

Date of Grant: 03/27/2020

Application Dated: 03/26/2020

**Beijing InHand Networks Technology Co., Ltd.
Room 501, floor 5, building 3, yard 18, ziyue road
chaoyang district, Beijing,China
Beijing, 100102
China**

Attention: Jichi Gu , Certification Engineer

NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

FCC IDENTIFIER: 2AANYVG710
Name of Grantee: Beijing InHand Networks Technology Co., Ltd.
Equipment Class: Unlicensed National Information Infrastructure TX
Notes: InVehicle Gateway

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
38 CC MO	15E	5180.0 - 5240.0	0.0525		
38 CC MO	15E	5745.0 - 5825.0	0.0912		

Output power listed is maximum combined conducted power. This device contains 20, 40 and 80 MHz signal bandwidth. The antennas used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter, except in accordance with FCC multi-transmitter product procedures. End-Users must be provided with transmitter operation conditions for satisfying RF exposure compliance.

38: This device has shown compliance, in all grant-listed U-NII sub-bands, with the new rules for U-NII devices adopted under Docket No. 13-49 and may be marketed, manufactured or imported after the June 1, 2016 transition deadline.

CC: This device is certified pursuant to two different Part 15 rules sections.

MO: This Multiple Input Multiple Output (MIMO) device was evaluated for multiple transmitted signals as indicated in the filing.